US Army Corps of Engineers

Hurricane Ike Projected Damage Areas

Landfall Expected In About **10** Hours

For Planning Purposes Only!



Post Landfall Projected Damage Areas

This model is based on a Category 3 storm making landfall near Galveston, TX.

Forecast Track
Historic Track

Projected Damage Areas

- CAT 0-type damage
- CAT 1-type damage
- CAT 2-type damage
- CAT 3-type damage
- CAT 4-type damage
- CAT 5-type damage

Information provided on this page displays a Category 3 storm making landfall near Galveston, TX. These projections are based on information from the NHC (1700 EDT 09/12/2008) forecast.

Details about this model may be obtained at http://www.englink.usace.army.mil or contact Louisville District staff at DLL-CELRL-GIS@usace.army.mil

Hurricane Ike Projected Damage Areas	
Generated By: Siemsen/Deatrick, LRL 1705 EDT 09/12/2008	
Sources: HURREVAC LRL-DEBRIS	

US Army Corps of Engineers

Hurricane Ike Debris Model

Landfall Expected In About **10** Hours

For Planning Purposes Only!



Post Landfall Debris Model Results

Texas - 42,455,000 Yards
Louisiana - 955,000 Yards

Model results per County on following page

This model is based on a Category 3 storm making landfall near Galveston, TX.

Forecast Track
Historic Track

Debris

- < 100,000 cubic yards
- 100,000 - 249,999 cubic yards
- 250,000 - 499,999 cubic yards
- 500,000 - 999,999 cubic yards
- >1,000,000 cubic yards

Information provided on this page displays a Category 3 storm making landfall near Galveston, TX. These projections are based on information from the NHC (1700 EDT 09/12/2008) forecast. The amount of debris forecasted is possible total volume, not necessarily the volume that may need to be removed with Federal funds, but does not include volume that may be covered by private insurance. Debris volume may include storm surge generated debris.

Details about this model may be obtained at http://www.englink.usace.army.mil
or contact Louisville District staff at DLL-CELRL-GIS@usace.army.mil

Hurricane Ike Debris Model

Generated By: Siemsen/Deatrick, LRL
1705 EDT 09/12/2008

Sources:
HURREVAC
LRL-DEBRIS

US Army Corps of Engineers

Hurricane Ike Debris Model

Landfall Expected In About 10 Hours

For Planning Purposes Only!

State	Yards per State	County	Yards per County
Louisiana		Acadia	40,000
		Allen	41,000
		Beauregard	83,000
		Calcasieu	421,000
		Cameron	153,000
		Jefferson Davis	125,000
		Vermilion	83,000
		Vernon	9,000
Louisiana	955,000		
Texas		Anderson	67,000
		Angelina	114,000
		Austin	32,000
		Brazoria	1,929,000
		Brazos	13,000
		Calhoun	3,000
		Chambers	403,000
		Cherokee	13,000
		Colorado	5,000
		Fort Bend	1,071,000
		Freestone	22,000
		Galveston	7,544,000
		Grimes	43,000
		Hardin	168,000
		Harris	24,337,000
		Henderson	66,000
		Houston	50,000
		Jackson	6,000
		Jasper	82,000
		Jefferson	3,565,000
		Leon	39,000

State	Yards per State	County	Yards per County
Texas		Liberty	343,000
(continued)		Limestone	< 1,000
		Madison	16,000
		Matagorda	74,000
		Montgomery	1,163,000
		Nacogdoches	10,000
		Navarro	< 1,000
		Newton	46,000
		Orange	528,000
		Polk	151,000
		Robertson	< 1,000
		Sabine	< 1,000
		San Augustine	4,000
		San Jacinto	107,000
		Smith	< 1,000
		Trinity	72,000
		Tyler	68,000
		Van Zandt	27,000
		Walker	151,000
		Waller	47,000
		Washington	7,000
		Wharton	69,000
Texas	42,455,000		

The amount of debris forecasted is possible total volume, not necessarily the volume that may need to be removed with Federal funds, but does not include volume that may be covered by private insurance. Debris volume may include storm surge generated debris.

Details about this model may be obtained at http://www.englink.usace.army.mil or contact Louisville District staff at DLL-CELRL-GIS@usace.army.mil

Source: US Army Corps of Engineers, All Rights Reserved

Hurricane Ike Debris Model

Generated By: Siemsen/Deatrick, LRL
1705 EDT 09/12/2008

Sources:
HURREVAC
LRL-DEBRIS

US Army Corps of Engineers

Hurricane Ike Commodities Model

Landfall Expected In About **10** Hours

For Planning Purposes Only!



Post Landfall Water Model Results

Day One / Day Two / Day Three
Texas – 66/132/263 Truckloads
Louisiana – 3/3/3 Truckloads

Model results per County on following page

This model is based on a Category 3 storm making landfall near Galveston, TX.

Forecast Track
Historic Track

Commodities

- < 5 Trucks Each
- 5 - 10 Trucks Each
- 11 - 20 Trucks Each
- 21 - 40 Trucks Each
- > 40 Trucks Each

Information provided on this page displays a Category 3 storm making landfall near Galveston, TX. These projections are based on information from the NHC ***(1700 EDT 09/12/2008)*** forecast. The amount of commodities forecasted is based on Mission Guide Book requirements and SME input. The graphic represents single day needs with full distribution system in place and operating.

Details about this model may be obtained at http://www.englink.usace.army.mil
or contact Louisville District staff at DLL-CELRL-GIS@usace.army.mil

Hurricane Ike Commodities Model	
Generated By: Siemsen/Deatrick, LRL 1705 EDT 09/12/2008	
Sources: HURREVAC LRL-DEBRIS	Page 4 of 13

US Army Corps of Engineers

Hurricane Ike Commodities Model

Landfall Expected In About **10** Hours

For Planning Purposes Only!

State	Truckloads per State	County	Truckloads per County
Louisiana		Beauregard	1
		Calcasieu	1
		Cameron	1
Louisiana	3		
Texas		Brazoria	13
		Chambers	2
		Fort Bend	20
		Galveston	12
		Hardin	3
		Harris	163
		Houston	1
		Jasper	1
		Jefferson	11
		Liberty	4
		Madison	1
		Matagorda	1
		Montgomery	17
		Newton	1
		Orange	4
		Polk	2
		San Jacinto	2
		Trinity	1
		Tyler	1
		Walker	3
Texas	263		

The amount of commodities forecasted is based on Mission Guide Book requirements and SME input and the above table indicates suggested needs based on phased deployment of a commodities distribution system.

Details about this model may be obtained at http://www.englink.usace.army.mil
or contact Louisville District staff at DLL-CELRL-GIS@usace.army.mil

Source: US Army Corps of Engineers, All Rights Reserved

Hurricane Ike Commodities Model

Generated By: Siemsen/Deatrick, LRL
1705 EDT 09/12/2008

Sources:
HURREVAC
LRL-DEBRIS

US Army Corps of Engineers

Hurricane Ike Temporary Roofing Model

Landfall Expected In About **10** Hours

For Planning Purposes Only!



Post Landfall Temporary Roofing Model Results

Texas - 64,700

Model results per County on following page

This model is based on a Category 3 storm making landfall near Galveston, TX.

Forecast Track
Historic Track

Temporary Roofing

- < 2,000 units
- 2,000 - 3,999 units
- 4,000 - 5,999 units
- 6,000 - 9,999 units
- > 10,000 units

Information provided on this page displays a Category 3 storm making landfall near Galveston, TX. These projections are based on information from the NHC (1700 EDT 09/12/2008) forecast. Temporary roofing is based on 2% in CAT 1, 5% in CAT 2 and 7% in CAT 3.

Details about this model may be obtained at http://www.englink.usace.army.mil or contact Louisville District staff at DLL-CELRL-GIS@usace.army.mil

Hurricane Ike Roofing Model

Generated By: Siemsen/Deatrick, LRL
1705 EDT 09/12/2008

Sources:
HURREVAC
LRL-DEBRIS

US Army Corps of Engineers

Hurricane Ike Temporary Roofing Model

Landfall Expected In About **10** Hours

For Planning Purposes Only!

State	House Units per State	County	House Units per County
Louisiana		Beauregard	< 100
		Calcasieu	< 100
		Cameron	< 100
Louisiana			
Texas		Brazoria	3,500
		Chambers	600
		Fort Bend	2,900
		Galveston	6,200
		Hardin	400
		Harris	41,500
		Houston	< 100
		Jasper	< 100
		Jefferson	4,300
		Liberty	700
		Madison	< 100
		Matagorda	< 100
		Montgomery	3,000
		Newton	< 100
		Orange	700
		Polk	300
		San Jacinto	200
		Trinity	< 100
		Tyler	< 100
		Walker	400
Texas	64,700		

Temporary roofing is based on 2% in CAT 1, 5% in CAT 2 and 7% in CAT 3.

Details about this model may be obtained at http://www.englink.usace.army.mil
or contact Louisville District staff at DLL-CELRL-GIS@usace.army.mil

Source: US Army Corps of Engineers, All Rights Reserved

Hurricane Ike Roofing Model

Generated By: Siemsen/Deatrick, LRL
1705 EDT 09/12/2008

Sources:
HURREVAC
LRL-DEBRIS

US Army Corps of Engineers

Hurricane Ike Temporary Housing Model

Landfall Expected In About **10** Hours

For Planning Purposes Only!



Post Landfall Temporary Housing Model Results

Texas - 9,900

Model results per County on following page

This model is based on a Category 3 storm making landfall near Galveston, TX.

Forecast Track
Historic Track

Temporary Housing

- < 2,000 units
- 2,000 - 3,999 units
- 4,000 - 5,999 units
- 6,000 - 9,999 units
- > 10,000 units

Information provided on this page displays a Category 3 storm making landfall near Galveston, TX. These projections are based on information from the NHC (1700 EDT 09/12/2008) forecast. Temporary housing is based on 1% in CAT 2 and 2% in CAT 3.

Details about this model may be obtained at http://www.englink.usace.army.mil or contact Louisville District staff at DLL-CELRL-GIS@usace.army.mil

Hurricane Ike Housing Model

Generated By: Siemsen/Deatrick, LRL
1705 EDT 09/12/2008

Sources:
HURREVAC
LRL-DEBRIS

US Army Corps of Engineers

Hurricane Ike Temporary Housing Model

Landfall Expected In About **10** Hours

For Planning Purposes Only!

State	House Units per State	County	House Units per County
Louisiana		Cameron	< 100
Louisiana			
Texas		Brazoria	500
		Chambers	200
		Galveston	2,000
		Harris	6,300
		Jefferson	900
		Liberty	< 100
		Montgomery	< 100
		Orange	< 100
Texas	9,900		

Temporary housing is based on 1% in CAT 2 and 2% in CAT 3.

Details about this model may be obtained at http://www.englink.usace.army.mil
or contact Louisville District staff at DLL-CELRL-GIS@usace.army.mil

Source: US Army Corps of Engineers, All Rights Reserved

Hurricane Ike Housing Model

Generated By: Siemsen/Deatrick, LRL
1705 EDT 09/12/2008

Sources:
HURREVAC
LRL-DEBRIS

US Army Corps of Engineers

Hurricane Ike Population Model

Landfall Expected In About **10** Hours

For Planning Purposes Only!



Post Landfall Results – Resident Population Within Hurricane Force Winds

Texas - 5,984,000
Louisiana - 17,000

Model results per County on following page

This model is based on a Category 3 storm making landfall near Galveston, TX.

Forecast Track
Historic Track

Population

- < 25,000 persons
- 25,000 - 99,999 persons
- 100,000 - 174,999 persons
- 175,000 - 249,999 persons
- > 250,000 persons

Information provided on this page displays a Category 3 storm making landfall near Galveston, TX. These projections are based on information from the NHC (1700 EDT 09/12/2008) forecast. The numbers of persons included in this model output are those that would be included within estimated hurricane force winds (Census 2000 values adjusted to July 2007 values).

Details about this model may be obtained at http://www.englink.usace.army.mil or contact Louisville District staff at DLL-CELRL-GIS@usace.army.mil

Hurricane Ike Population Model

Generated By: Siemsen/Deatrick, LRL
1705 EDT 09/12/2008

Sources:
HURREVAC
LRL-DEBRIS

US Army Corps of Engineers

Hurricane Ike Population Model

Landfall Expected In About **10** Hours

For Planning Purposes Only!

State	Population per State	County	Population per County
Louisiana		Beauregard	< 1,000
		Calcasieu	13,000
		Cameron	4,000
Louisiana	17,000		
Texas		Brazoria	293,000
		Chambers	29,000
		Fort Bend	464,000
		Galveston	285,000
		Hardin	52,000
		Harris	3,905,000
		Houston	< 1,000
		Jasper	10,000
		Jefferson	243,000
		Liberty	76,000
		Madison	< 1,000
		Matagorda	2,000
		Montgomery	398,000
		Newton	4,000
		Orange	83,000
		Polk	40,000
		San Jacinto	25,000
		Trinity	8,000
		Tyler	9,000
		Walker	58,000
Texas	5,984,000		

The number of persons estimated to be within the hurricane force winds comes from Census 2000 values adjusted to July 2007 values.

Details about this model may be obtained at http://www.englink.usace.army.mil
or contact Louisville District staff at DLL-CELRL-GIS@usace.army.mil

Source: US Army Corps of Engineers, All Rights Reserved

Hurricane Ike Population Model

Generated By: Siemsen/Deatrick, LRL
1705 EDT 09/12/2008

Sources:
HURREVAC
LRL-DEBRIS

US Army Corps of Engineers

Hurricane Ike Households Model

Landfall Expected In About **10** Hours

For Planning Purposes Only!



Post Landfall Results – Resident Households Within Hurricane Force Winds

Texas - 2,112,000
Louisiana - 7,000

Model results per County on following page

This model is based on a Category 3 storm making landfall near Galveston, TX.

Forecast Track
Historic Track

Households

- < 7,500 households
- 7,500 - 14,999 households
- 15,000 - 24,999 households
- 25,000 - 49,999 households
- > 50000 households

Information provided on this page displays a Category 3 storm making landfall near Galveston, TX. These projections are based on information from the NHC (1700 EDT 09/12/2008) forecast. The numbers of households included in this model output are those that would be included within estimated hurricane force winds (Census 2000 values adjusted to July 2007 values).

Details about this model may be obtained at http://www.englink.usace.army.mil or contact Louisville District staff at DLL-CELRL-GIS@usace.army.mil

Hurricane Ike Households Model	
Generated By: Siemsen/Deatrick, LRL 1705 EDT 09/12/2008	
Sources: HURREVAC LRL-DEBRIS	Page 12 of 13

US Army Corps of Engineers

Hurricane Ike Households Model

Landfall Expected In About **10** Hours

For Planning Purposes Only!

State	Households per State	County	Households per County
Louisiana		Beauregard	< 1,000
		Calcasieu	5,000
		Cameron	2,000
Louisiana	7,000		
Texas		Brazoria	100,000
		Chambers	11,000
		Fort Bend	144,000
		Galveston	108,000
		Hardin	20,000
		Harris	1,386,000
		Houston	< 1,000
		Jasper	4,000
		Jefferson	90,000
		Liberty	25,000
		Madison	< 1,000
		Matagorda	< 1,000
		Montgomery	140,000
		Newton	2,000
		Orange	31,000
		Polk	15,000
		San Jacinto	10,000
		Trinity	4,000
		Tyler	4,000
		Walker	18,000
Texas	2,112,000		

The number of households estimated to be within the hurricane force winds comes from Census 2000 values adjusted to July 2007 values.

Details about this model may be obtained at http://www.enqlink.usace.army.mil
or contact Louisville District staff at DLL-CELRL-GIS@usace.army.mil

Source: US Army Corps of Engineers, All Rights Reserved

Hurricane Ike Households Model

Generated By: Siemsen/Deatrick, LRL
1705 EDT 09/12/2008

Sources:
HURREVAC
LRL-DEBRIS